

ABBREVIATIONS: NA = NOT APPLICABLE HEALTH = 0  
 ND = NOT DETERMINED FLAMMABILITY = 0  
 NE = NOT ESTABLISHED REACTIVITY = 0  
 PERSONAL PROTECTION = +  
 + SEE SECTION VIII

SECTION I-MATERIAL IDENTIFICATION AND USE

MATERIAL NAME/IDENTIFIER: SHUR STIK 44 ALL PURPOSE ADH  
 MANUFACTURERS NAME AND ADDRESS: GIBSON-HOMANS COMPANY  
 1755 ENTERPRISE PARKWAY  
 TWINSBURG, OHIO 44087  
 EMERGENCY TELEPHONE NO.: (DAY) 330/425-3255 (24 HOUR) 440/843-2982  
 DATE PREPARED: JANUARY 26, 1988 REVISED: APRIL 26, 1994  
 CHEMICAL FAMILY: MIXTURE  
 CHEMICAL FORMULA/MOLECULAR WT: NA  
 TRADE NAME AND SYNONYMS: NA  
 MATERIAL USE: WALLCOVERING ADHESIVE

SECTION II-HAZARDOUS INGREDIENTS

CHEMICAL NAME	OSHA-PEL	ACGIH-TLV	LD50/LC50	% WT
NA	-	-	-	-
CAS #-	-	-	-	-
CARCINOGEN: -	-	-	-	-
Sara Title III, Sect. 313 reportable: -	-	-	-	-

SECTION III-PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 212 DEG. F. VAPOR PRESSURE(MM): 25 DEG.C 18  
 VAPOR DENSITY(AIR=1): >1  
 SPECIFIC GRAVITY/DENSITY(G/ML): 1.0-1.3 MELTING/FREEZING POINT: NA  
 EVAPORATION RATE(BUAC=1): <1 SOLUBILITY IN WATER: MISCIBLE  
 %VOLATILE BY VOLUME: 80-90 PH: 5.0-7.0  
 COEFFICIENT OF WATER/OIL DISTRIBUTION: ND ODOR THRESHOLD (PPM): ND  
 APPEARANCE, PHYSICAL STATE AND ODOR: CREAM COLORED PASTE

SECTION IV-FIRE AND EXPLOSION DATA

FLASH POINT: NA - WATER BASED UPPER EXPLOSION LIMIT: UNKNOWN  
 AUTO IGNITION TEMPERATURE: NA LOWER EXPLOSION LIMIT: UNKNOWN  
 SENSITIVITY TO CHEMICAL IMPACT: NA RATE OF BURNING: NA  
 EXPLOSIVE POWER: NA SENSITIVITY TO STATIC DISCHARGE: NA  
 EXTINGUISHING MEDIA: NA  
 SPECIAL FIRE FIGHTING PROCEDURES: NA  
 UNUSUAL FIRE AND EXPLOSION HAZARDS: NA  
 FLAMMABILITY: NO  
 UNDER WHAT CONDITIONS: NA

SECTION V-REACTIVITY DATA

STABILITY-MATERIAL IS: STABLE  
 CONDITIONS TO AVOID: NA  
 INCOMPATIBILITY(MATERIALS TO AVOID): STRONG OXIDIZERS  
 HAZARDOUS DECOMPOSITION/COMBUSTION PRODUCTS: NA  
 HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  
 CONDITIONS TO AVOID: NA

SECTION VI-HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY: SKIN - INGESTION  
 EFFECTS OF OVEREXPOSURE, CHRONIC: NONE KNOWN  
 EFFECTS OF OVEREXPOSURE, ACUTE: SKIN: MAY CAUSE SLIGHT IRRITATION. EYES: MAY  
 CAUSE IRRITATION. INGESTION: LARGE AMOUNTS MAY CAUSE NAUSEA,  
 VOMITING.  
 EMERGENCY AND FIRST AID PROCEDURES: SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH  
 WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. INGESTION: SEEK MEDICAL

## ATTENTION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: UNKNOWN

CARCINOGENICITY: NO

LD50 OF PRODUCT: ND

LC50 OF PRODUCT: ND

IRRITANT?: NO

SENSITIZER?: NO

SYNERGISTIC MATERIALS: NA

REPRODUCTIVE EFFECTS: NO

TERATOGENIC: NO

MUTAGENIC: NO

## =====

## SECTION VII-PREVENTIVE MEASURES, SAFE HANDLING AND USE

LEAK AND SPILL PROCEDURES: SCOOP UP AND RETURN TO CONTAINER.

WASTE DISPOSAL METHOD: DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP CONTAINER CLOSED WHEN NOT IN USE.

OTHER: KEEP OUT OF THE REACH OF CHILDREN!

## =====

## SECTION VIII-CONTROL MEASURES/PROTECTION INFORMATION

VENTILATION: NORMAL VENTILATION ADEQUATE.

RESPIRATORY PROTECTION: NOT NECESSARY.

PROTECTIVE GLOVES: NOT NORMALLY REQUIRED

EYE PROTECTION: NA

OTHER PROTECTIVE EQUIPMENT: NA

WORK/HYGENIC PRACTICES: REMOVE CONTAMINATED CLOTHING, LAUNDER BEFORE REUSE.

## =====

## SECTION IX-REGULATORY INFORMATION

REPORTABLE QUANTITY (MIN. UNDER ANY ACT): 2,400 LBS.

RCRA HAZARDOUS WASTE NO: (FED) NONE

SHIPPING NAME: ADHESIVES, NOI

NORTH AMERICAN EMERGENCY RESPONSE GUIDE NUMBER: NA

DOT CLASSIFICATION: NOT REGULATED

IDENTIFICATION NO: NMFC ITEM NO. 04620 SUB. 5 NMFC CLASS 60

VOLATILE ORGANIC COMPOUNDS(VOC): 10 G/L MAX.

IMDG CLASSIFICATION:

THE INFORMATION ACCUMULATED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT, APPLICABLE AND SUITABLE TO THEIR CIRCUMSTANCES.

ABBREVIATIONS: NA = NOT APPLICABLE  
ND = NOT DETERMINED  
NE = NOT ESTABLISHED

HEALTH = 0  
FLAMMABILITY = 0  
REACTIVITY = 0  
PERSONAL PROTECTION = +  
+ SEE SECTION VIII

## SECTION I-MATERIAL IDENTIFICATION AND USE

MATERIAL NAME/IDENTIFIER: VYL/VYL & BORDER OVER VYL ADH  
MANUFACTURERS NAME AND ADDRESS: GIBSON-HOMANS COMPANY

1755 ENTERPRISE PARKWAY  
TWINSBURG, OHIO 44087

EMERGENCY TELEPHONE NO.: (DAY) 330/425-3255 (24 HOUR) 440/843-2982

DATE PREPARED: DECEMBER 31, 1986

REVISED: JANUARY 22, 2000

CHEMICAL FAMILY: MIXTURE

CHEMICAL FORMULA/MOLECULAR WT: NA

TRADE NAME AND SYNONYMS: NA

MATERIAL USE: WALLPAPER ADHESIVE

## SECTION II-HAZARDOUS INGREDIENTS

CHEMICAL NAME	OSHA-PEL	ACGIH-TLV	LD50/LC50	% WT
ETHYLENE GLYCOL	50 PPM	50 PPM	4700 MG/KG	1-5
CAS #107-21-1	(CEILING)	(VAPOR)	(ORAL RAT)	
CARCINOGEN: NO				
Sara Title III, Sect. 313 reportable: YES				

## SECTION III-PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 200-215 DEG.F VAPOR PRESSURE(MM): 25 DEG.C 18  
VAPOR DENSITY(AIR=1): >1  
SPECIFIC GRAVITY/DENSITY(G/ML): 1.1 MELTING/FREEZING POINT: NA  
EVAPORATION RATE(BUAC=1): <1 SOLUBILITY IN WATER: MISCIBLE  
%VOLATILE BY VOLUME: 60-70 PH: 7.0-9.0  
COEFFICIENT OF WATER/OIL DISTRIBUTION: ND ODOR THRESHOLD(PPM): ND  
APPEARANCE, PHYSICAL STATE AND ODOR: OPAQUE BEIGE PASTE, SLIGHT ODOR.

## SECTION IV-FIRE AND EXPLOSION DATA

FLASH POINT: NA - WATER BASED UPPER EXPLOSION LIMIT: NA  
AUTO IGNITION TEMPERATURE: NA LOWER EXPLOSION LIMIT: NA  
SENSITIVITY TO CHEMICAL IMPACT: NA RATE OF BURNING: NA  
EXPLOSIVE POWER: NA SENSITIVITY TO STATIC DISCHARGE: NA  
EXTINGUISHING MEDIA: NA  
SPECIAL FIRE FIGHTING PROCEDURES: NA  
UNUSUAL FIRE AND EXPLOSION HAZARDS: NA  
FLAMMABILITY: NO  
UNDER WHAT CONDITIONS: NA

## SECTION V-REACTIVITY DATA

STABILITY-MATERIAL IS: STABLE  
CONDITIONS TO AVOID: NA  
INCOMPATIBILITY(MATERIALS TO AVOID): STRONG OXIDIZERS  
HAZARDOUS DECOMPOSITION/COMBUSTION PRODUCTS: NA  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  
CONDITIONS TO AVOID: NA

## SECTION VI-HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY: SKIN - INGESTION  
EFFECTS OF OVEREXPOSURE, CHRONIC: NONE KNOWN  
EFFECTS OF OVEREXPOSURE, ACUTE: SKIN: MAY CAUSE SLIGHT IRRITATION. EYES: MAY  
CAUSE IRRITATION. INGESTION: MAY CAUSE GASTROINTESTINAL UPSET,  
NAUSEA, VOMITING.  
EMERGENCY AND FIRST AID PROCEDURES: SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH  
WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. INGESTION: SEEK MEDICAL

## ATTENTION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: UNKNOWN

CARCINOGENICITY: NO

LD50 OF PRODUCT: ND

LC50 OF PRODUCT: ND

IRRITANT?: NO

SENSITIZER?: NO

SYNERGISTIC MATERIALS: NO

REPRODUCTIVE EFFECTS: NO

TERATOGENIC: NO

MUTAGENIC: NO

## =====

## SECTION VII-PREVENTIVE MEASURES, SAFE HANDLING AND USE

LEAK AND SPILL PROCEDURES: SCOOP UP AND RETURN TO CONTAINER.

WASTE DISPOSAL METHOD: DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE IN COOL, DRY AREA. PROTECT FROM FREEZING.

OTHER: KEEP OUT OF THE REACH OF CHILDREN!

## =====

## SECTION VIII-CONTROL MEASURES/PROTECTION INFORMATION

VENTILATION: NA

RESPIRATORY PROTECTION: NA

PROTECTIVE GLOVES: NOT NORMALLY REQUIRED

EYE PROTECTION: NA

OTHER PROTECTIVE EQUIPMENT: NA

WORK/HYGENIC PRACTICES: REMOVE CONTAMINATED CLOTHING, LAUNDER BEFORE REUSE.

## =====

## SECTION IX-REGULATORY INFORMATION

REPORTABLE QUANTITY (MIN. UNDER ANY ACT): NONE

RCRA HAZARDOUS WASTE NO: (FED) NONE

SHIPPING NAME: NMFC: ADHESIVES, NOI

DOT: NOT APPLICABLE

NORTH AMERICAN EMERGENCY RESPONSE GUIDE NUMBER: NA

DOT CLASSIFICATION: NOT REGULATED

IDENTIFICATION NO: NMFC ITEM NO. 4620, SUB 5, NMFC CLASS 60

VOLATILE ORGANIC COMPOUNDS (VOC): 20 G/L MAX.

IMDG CLASSIFICATION: NOT REGULATED

THE INFORMATION ACCUMULATED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT, APPLICABLE AND SUITABLE TO THEIR CIRCUMSTANCES.